

NOAA Web Update July 14, 2010

DEEPWATER HORIZON Incident



Situation: Wednesday 14 July —

Skimming Update

On Saturday, July 10, skimmers doubled the amount of oily water collected over the previous day. The aggressive skimmer response, with continued use of in-situ burning and dispersants, is part of a surge to take advantage of the mild weather. There are more than 580 skimmers employed in the response. A skimmer is defined as any mechanical device designed to remove oil from the surface of water without altering the water's physical and/or chemical characteristics and has three basic components: A skimming head to separate oil from water, transfer system, and containment unit. There are many different kinds of skimmers currently employed in the oil spill response.

NOAA Response

- New Fact Sheet: [What to Expect in South Florida from the Deepwater Horizon/BP Oil Spill](#)
(Document format: PDF, size: 399.9 K).

NOAA provides coordinated scientific weather and biological response services to federal, state and local organizations. Experts from across the agency have mobilized to help contain the spreading oil spill and protect the Gulf of Mexico's many marine mammals, sea turtles, fish, shellfish, and other endangered marine life. NOAA spill specialists are advising the U.S. Coast Guard on cleanup options as well as advising all affected federal, state and local partners on sensitive marine resources at risk in this area of the Gulf of Mexico. Overflights are conducted on a daily basis (weather permitting) to provide field verification of model trajectories. NOAA's Office of Marine and Aviation Operations (OMAO) is supporting the response work in the Gulf with NOAA-owned ships and aircraft. Currently, NOAA has deployed six NOAA-owned vessels in response to the Deepwater Horizon oil spill.

Please see GeoPlatform.gov/gulfresponse for further information on the federal response to the Deepwater Horizon Incident.

Trajectories

Southwest winds are forecast to become west winds late Tuesday at 5-10 knots, then be variable in direction for the next few days (W/NW/N). Southeast winds are forecast to begin late Thursday and continue through the weekend at speeds of 5-10 knots. Remote sensing imagery and overflights indicate that oil from the source is continuing to move to the south/southeast and there is very little oil remaining to the north. Imagery and overflights also indicate only several scattered sheens offshore to the west of the Delta; however, shorelines from Atchafalaya Bay to Southwest Pass continue to be threatened by scattered tarballs for the next few days.

OR&R's modeling team continues to generate daily trajectories for the nearshore surface oil. The offshore trajectory maps (showing oil interacting with the Loop Current) have been temporarily suspended because the northern end of the Loop Current has been pinched off into a large eddy (Eddy Franklin) so there is no clear path for oil to enter the Loop Current from the source. Also, there have been no reports of recoverable oil in the Loop Current or Eddy Franklin and the oil has moved to the north and away from the Eddy Franklin. We will continue to monitor the area with overflights, vessel observations, and satellite analysis. When the threat of shoreline impacts to the Florida Keys increases, we will resume producing the offshore trajectory maps.

The Loop Current is an area of warm water that comes up from the Caribbean, flowing past the Yucatan Peninsula and into the Gulf of Mexico. It generally curves east across the Gulf and then flows south parallel to the west Florida coast. An eddy is water that rotates.

Closures

There is no change today to the July 13, 2010 closure. ([See map.](#)) All commercial and recreational fishing, including catch and release, is prohibited in the closed area; however, transit through the area is allowed. The current closure measures 83,927 square miles (217,371 square kilometers) and covers about 35% of the Gulf of Mexico exclusive economic zone. The majority of federal waters in the Gulf of Mexico are open to commercial and recreational fishing. Modeling and mapping the actual and projected spill area is not an exact science. NOAA Fisheries Service strongly advises fishermen not to fish in areas where oil or oil sheens (very thin layers of floating oil) are present, even if those areas are not currently closed to fishing. Any changes to the closure are announced daily at 12 p.m. Eastern at sero.nmfs.noaa.gov and take effect at 6 p.m. Eastern the same day.

Sea Turtles and Marine Mammals (effective July 13, 2010)

A total of 660 **sea turtles** have been verified from April 30 to July 13 within the designated spill area from the Texas/Louisiana border to Apalachicola, Florida. Two dead turtle strandings were reported, one in Florida and one in Mississippi. There are 179 live sea turtles in rehabilitation centers. These include 136 sea turtles captured as part of the on-water survey and rescue operations, and 43 turtles that stranded alive. A total of 153 stranded or captured turtles have had visible evidence of external oil since verifications began on April 30. These include 139 that are alive and 14 that are dead. All others have not had visible evidence of external oil.

Of the 660 turtles verified from April 30 to July 13, a total of 459 stranded turtles were found dead, 58 stranded alive. Four of those subsequently died. Eleven live stranded turtles were released, and 43 live stranded turtles are being cared for at rehabilitation centers. This report contains some corrected numbers from earlier reports. Turtle strandings during this time period have been much higher in Louisiana, Mississippi, Alabama and the Florida Panhandle than in previous years for this same time period. This may be due in part to increased detection and reporting, but this does not fully account for the increase.

The NOAA Ship *Pisces* reported a dead 25-foot sperm **whale** on June 15, 2010, that was located 150 miles due south of Pascagoula, Mississippi and approximately 77 miles due south of the spill site last week. The whale was decomposed and heavily scavenged. Samples of skin and blubber have been taken and will be analyzed. The whale had not evidence of external oil. Sperm whales are the only endangered resident cetacean in the Upper Gulf of Mexico. There are no records of stranded whales in the Gulf of Mexico for the month of June for the period 2003-2007.

From April 30 to July 13, 63 stranded **dolphins** have been verified in the designated spill area. Of the 63 strandings, five were live strandings, three of which died shortly after stranding, one was released and one is in rehabilitation. Fifty-seven dolphins were found stranded dead. Visible evidence of external oil was confirmed on five dolphins, two live and three dead stranded animals. We are unable at this time to determine whether three of the dead stranded dolphins were externally oiled before or after death. Since April 30, the stranding rate for dolphins in Louisiana, Mississippi, Alabama and the Florida Panhandle has been higher than the historic numbers for the same time period in previous years. In part, this may be due to increased detection and reporting and the lingering effects of an earlier observed spike in strandings for the winter of 2010.

A stranding is defined as a dead or debilitated animal that washes ashore or is found in the water. NOAA and its partners are analyzing the cause of death for the dead stranded and dead captured sea turtles and the stranded marine mammals.

Assessment

To help determine the type and amount of restoration needed to compensate the public for harm to natural resources as a result of the spill, a [Natural Resource Damage Assessment](#) (Document format: PDF, size: 90.8 K) will be conducted by NOAA and our co-trustee agencies. Although many agencies are involved in this process, NOAA is a lead federal trustee for coastal and marine natural resources, including marine and migratory fish, endangered species, marine mammals and their habitats. The focus currently is to assemble existing data on resources and their habitats and collect baseline (pre-spill impact) data. Data on oiled resources and habitats are also being collected. For additional information, see the [DARRP Deepwater Horizon Web page](#).